

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030118891"	US-PGPUB; USPAT	OR	OFF	2009/11/04 11:45
S2	0	"2003112531"	US-PGPUB; USPAT	OR	OFF	2009/11/04 11:46
S3	2	"20030067747"	US-PGPUB; USPAT	OR	OFF	2009/11/04 11:46
S4	1	"20030118891" and battery	US-PGPUB; USPAT	OR	OFF	2009/11/04 11:51
S5	1	"20030118891" and "18"	US-PGPUB; USPAT	OR	OFF	2009/11/04 11:57
S6	9	"429"/\$.ccls. and battery and (dc same converter) and two near2 fans	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 12:14
S7	309	"429"/\$.ccls. and battery and (dc same converter) and (fan blower)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 12:16
S8	46	"429"/\$.ccls. and (battery same (fan blower)) and ((dc same converter) same (fan blower))	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 12:17
S9	542	(battery same (fan blower)) and ((dc same converter) same (fan blower))	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 12:43
S10	237	(battery same (fan blower) same (coolant cooling)) and ((dc same converter) same (fan blower) same (coolant cooling))	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 12:43
S11	18	"429"/\$.ccls. and (battery same (fan blower) same (coolant cooling)) and ((dc same converter) same (fan blower) same (coolant cooling))	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 12:44
S12	2	"20030067747"	US-PGPUB; USPAT	OR	OFF	2009/11/04 12:46

S13	2	"20030067747" and fan	US-PGPUB; USPAT	OR	OFF	2009/11/04 12:46
S14	173	(dc near2 converter) near5 (fan blower)	US-PGPUB; USPAT	OR	OFF	2009/11/04 12:48
S15	14	"429"/\$.ccls. and (dc near2 converter) near5 (fan blower)	US-PGPUB; USPAT	OR	OFF	2009/11/04 12:49
S16	54	(dc near2 converter) near5 (fan blower)	EPO; JPO; DERWENT	OR	OFF	2009/11/04 12:51
S17	18	battery and (dc near2 converter) near5 (fan blower)	EPO; JPO; DERWENT	OR	OFF	2009/11/04 12:52
S18	3	"2002343449"	JPO; DERWENT	OR	OFF	2009/11/04 13:05
S19	3	(dc near2 converter) near5 (fan blower) and (temperature near2 sensor)	EPO; JPO; DERWENT	OR	OFF	2009/11/04 13:17
S20	49	(dc near2 converter) near5 (fan blower) and (temperature near2 sensor)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:17
S21	10	(dc near2 converter) near5 (fan blower) same (temperature near2 sensor)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:17
S22	0	(dc near2 converter) near5 (fan blower) same (two near2 temperature near2 sensor)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:17
S23	1	"20020126431" and "138" and "140"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:22
S24	0	(dc near2 converter) same (two near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:23
S25	1	(dc near2 converter) same (multiple near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:23
S26	1	(dc near2 dc) same (multiple near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:24
S27	0	(dc near2 ac) same (multiple near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:24

S29	4	"429"/\$.cds. and (dc near2 converter) and (two near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:25
S30	11	(dc near2 converter) same (multiple near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:26
S31	25	(dc near2 converter) same (two near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:27
S32	83	(dc near2 converter) same (temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:37
S33	22	"429"/\$.cds. and (dc near2 converter) same (temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:37
S34	2	(dc near2 converter) near2 (temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/04 13:41
S35	9	(dc near2 converter) near2 (temperature near2 sensors)	EPO; JPO; DERWENT	OR	ON	2009/11/04 13:44
S36	21	(dc near2 converter) near2 (temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 13:44
S37	3	(converter) near2 (two near2 temperature near2 sensors)	EPO; JPO; DERWENT	OR	ON	2009/11/04 13:50
S38	8	(converter) near2 (two near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 13:51
S39	2	"429"/\$.cds. and battery and (dc near2 converter) and two near2 cooling near2 (paths channels systems)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 13:53
S40	17	battery and (dc near2 converter) and two near2 cooling near2 (paths channels systems)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 13:54
S41	1	"5796580".pn. and (control controller ecu)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:00
S42	1	"5796580".pn. and converter	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:03
S43	1	"5796580".pn. and converter same (cool cooling coolant)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:05

S44	0	"5796580".pn. and converter same (sensor senses)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:06
S45	1	"5796580".pn. and (sensor senses)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:06
S46	1	"5796580".pn. and battery	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:07
S47	1	"5796580".pn. and battery same (coolant cooling cooled cool)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:07
S48	1	"20030118891" and "24"	US-PGPUB; USPAT	OR	ON	2009/11/04 14:10
S49	1	"6377880".pn.	US-PGPUB; USPAT	OR	OFF	2009/11/04 14:25
S50	1	"6377880".pn. and "8"	US-PGPUB; USPAT	OR	OFF	2009/11/04 14:41
S51	0	"6377880".pn. and semiconductor	US-PGPUB; USPAT	OR	OFF	2009/11/04 14:41
S52	1	"6377880".pn. and "19"	US-PGPUB; USPAT	OR	OFF	2009/11/04 14:42
S53	1	"5796580".pn. and "7a" and "7b" and "7c"	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 14:54
S54	1	"5796580".pn. and "730" and "740"	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:00
S55	1	"5796580".pn. and "61"	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:06
S56	1	"5796580".pn. and "4a"	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:08
S57	1	"5796580".pn. and "732"	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:10
S58	1	"5796580".pn. and (control controller ecu) same (fan)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:27
S59	1	"5796580".pn. and (control controller ecu) same (7b)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:32
S60	1	"5796580".pn. and temperature	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:35
S61	0	"5796580".pn. and overheat	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:37
S62	1	"5796580".pn. and (fail failure)	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/04 15:42
S63	1	"6377880".pn. and battery	US-PGPUB; USPAT	OR	OFF	2009/11/04 15:49
S64	1	"6377880".pn. and (sensor senses sensing)	US-PGPUB; USPAT	OR	OFF	2009/11/04 15:51

S65	1	"20030118891" and (sensor sensing senses)	US-PGPUB; USPAT	OR	OFF	2009/11/04 15:52
S66	1	"6377880".pn. and "62"	US-PGPUB; USPAT	OR	OFF	2009/11/04 16:03
S67	0	"6377880".pn. and (reference baseline)	US-PGPUB; USPAT	OR	OFF	2009/11/04 16:20
S68	47	(dc near2 converter) and (two near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:13
S69	0	(dc near2 converter) same (two near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:15
S70	2	(dc same converter) same (two near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:15
S71	2	(dc same converter) same (multiple near2 temperature near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:15
S72	22	(dc same converter) same (multiple near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:43
S73	61	(dc same converter) same (two near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:44
S74	15	(dc same converter) same (two near2 sensors same temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:45
S75	5	(dc near2 converter) same (two near2 sensors same temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:45
S76	180	(dc near2 converter) same (sensors same temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:46
S77	83	(dc near2 converter) same (sensors near2 temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:47
S78	3	(dc near2 converter) same (multiple same sensors near2 temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:47
S79	4	(dc same converter) same (multiple same sensors near2 temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:47

S80	67	(dc near2 converter) and (multiple same sensors near2 temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:49
S81	822	(dc near2 converter) and (current same temperature same sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:49
S82	85	(dc near2 converter) same (current same temperature same sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:49
S83	13	(dc near2 converter) same ((current same temperature) near2 sensors)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:50
S84	7	(dc near2 converter) and (interchangeable near2 sensor)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:52
S85	1	(dc near2 converter) and ((interchangeable near2 sensor) same current and temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:52
S86	1	(dc near2 converter) and ((interchangeable near2 sensor) same (current and temperature))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:52
S87	6	(dc near2 converter) and ((interchangeable near2 sensor) and (current and temperature))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:53
S88	2	(dc near2 converter) and (interchangeable near2 sensor) and (current same temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:53
S89	6	(dc same converter) and (interchangeable near2 sensor) and (current same temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 08:54

11/ 5/ 2009 10:45:43 AM

C:\ Documents and Settings\kdouyette1\ My Documents\ EAST\ Workspaces\ 10590235.wsp